

Stores. A sum of Rs. 500 should be deposited in the treasury before receiving the cloth at the office of issue, in default of which the tenderer will forfeit the amount of deposit in addition to the contract being cancelled. If the tenderer fails to execute the agreement or to deposit the money as required above, the amount of deposit accompanying the tender will be forfeited and the contract cancelled.

Clothing for the Bangalore Corporation Police Force; Fire Fighting Units; MARP - Palace Guards and officers who are entitled to the supply of khaki suits, should be stitched to individual measurements.

9. The quantities given in the schedule are only approximate and not guaranteed. The actual quantities of each kind ordered may be more or less. Extra quantities, if any, that may be required, shall also be made at contract rates.

10. The thread used for stitching should be of the best quality of recognised make like "1 Coates or Spinners".

11. Lining cloth, buttons, buckles and other requisites for making up clothing should be provided by the contractor or contractors at their own cost.

12. The quantity of cloth and the rate required for each item should be clearly stated in the tender.

13. Flaps, collars, pockets, sleeves, fringes etc., should be according to the approved samples.

#### SCHEDULE.

Sl. No.	Items of Clothing	Approximate quantity to be made up.	Sl. No.	Items of Clothing	Approximate quantity to be made up.
1	Khaki Jubbass	12,710	11	White coats for Traffic Daffedars	690
2	Khaki Pants (inclusive of Blue pants)	4,420	12	Khaki suits for officers (one tunic and a pair of breeches)	285
3	Khaki shorts (Military pattern)	11,900	13	Khaki Breeches (Palace Guards)	750
4	Do (Malabar pattern)	11,600	14	Khaki Tunic (short) with open collars	50
	Khaki shirts (full sleeves) with collars	1,766	15	Khaki Tunics O.R., long coats (Mounted)	472
	Khaki coats (Corporation Constables and Duffedars)	4,052	16	Khaki collars	38
7	Khaki Half-arm shirts	9,860	17	Khaki Twill shirts without collars (Mounted)	26
8	Woolen Overcoats	2,260	18	Grey Flannel Shirts for Fire Brigade	265
9	White tunics for Traffic Sergeants etc.,	70	19	Blue Serge Suits for Fire Brigade Officers	10
10	White Jubbass for Traffic Constables	24	20	Khaki Bush Coats for do	10

#### Sizes of Clothing

Serial No.	Sizes	Coats, Jubbass or half-arm shirts	Shorts (Malabar and Military)	Round bottom for shorts (Malabar and Military)	Waist for Military shorts	Short (District pattern)	Round bottom (for District shorts)	Number of Coats, Jubbass, etc., for every 100	Woolen Overcoats	Number for every 100	Chest for coats (Khaki)	Chest for Jubbass and shirts	Chest for Overcoats
		(Inches and length)									(Inches)		
1	Extra	35	24	31	35	{ 26	25	25	52	25	{ 44	46	50
2	First	34	23	30	33	{ 25	23	35	51	50	{ 43	45	48
3	Second	33	22	29	31	{ 24	22	40	50	25	{ 42	44	48

#### Width of cloth to be supplied by the Department.

1	Khaki Drill (thick and thin) (for coats, jubbass, suits, shorts)	...	...	...	...	28" / 29"
2	Heather mixture cloth for Overcoats	...	...	...	...	56
3	White drill for traffic uniform	...	...	...	...	28" / 29"

#### Form of Tender.

To

The Inspector-General of Police in Mysore, Bangalore.

Sir,

I/We offer to make up the abovementioned articles noted in the Tender Notification No. S.C. 106—54-55, dated 30th July 1954 and published on page..... of Part VI of the *Mysore Gazette* dated..... at the rates noted against them and agree to the conditions therein contained. Enclosed herein is the Treasury Challan for Rs. 100 as earnest money.

Yours faithfully,

Sl. No.	Group	Cloth required		Making charges		Remarks
		Yds.	Inches	Ra.	a. p.	

3649

#### GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER TO THE GOVERNMENT OF MYSORE, BANGALORE-1.

Notification dated 27th July 1954.

**No. G.N.—56.** The attention of the firms dealing in Electrical Goods is invited to Notification No. G.N. 56, dated, 27th July 1954, inviting tenders for the supply of Ceiling Fans, published on page 1124 of Part VI of the *Mysore Gazette* dated 5th August 1954.

Intending tenderers are requested to apply to the undersigned for copies of detailed Notification.

826

J. DEVASAHAYAM,  
Inspector-General of Police.

Notification dated 27th July 1954.

**No. G.N. 57.** The attention of the firms dealing in Electrical Goods is invited to Notification No. G.N. 57, dated 27th July 1954, inviting tenders for the supply of Instrument Potential Transformers published on page 1124-25 of Part VI of the *Mysore Gazette*, dated 5th August 1954.

Intending tenderers are requested to apply to the undersigned for copies of detailed Notification.

826(a)

Notification.....

**No. G.N.—58.** The attention of the firms dealing in Copper plates is invited to this office Gazette Notification No. 58, dated 30th July 1954, inviting tenders for the supply of Electrolytic copper plates, as published on Page 1125, part VI of the *Mysore Gazette*, dated 5th August 1954.

Intending tenderers are requested to apply to the undersigned for copies of details.

It may be noted that the last date for submission of quotations for this Notification is 31st August 1954, up to 3 P.M. and quotations will be opened either on the same day or next working day.

826(b)

Notification dated 31st July 1954.

**No. G.N. 59.** The attention of the firms dealing in Tower Ladders is invited to Notification No. G. N. 59, dated 31st July 1954, inviting tenders for the supply of Tower Ladders published on page 1125 of part VI of the *Mysore Gazette*, dated 5th August 1954.

Intending tenderers are requested to apply to the undersigned for copies of detailed Notification.

826(c)

Notification dated 3rd August 1954.

**No. G.N. 60.** Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 3rd September 1954, for the supply of the following the terms of delivery being Ex. C.P.S., Central Stores, Bangalore City or f.o.r., Bangalore City.

1. 5 KV. drop-out or non-drop-out enclosed type cutouts 35/40 Nos. complete with fuse cartridges, 100 amps. standard mounting brackets, etc., complete.
2. Also quote for 50 amps. cutouts
3. Spare fuse cartridges for the above 100 amps. and 50 amps. cutouts.

N.B.—Interrupting rating in KVA and amperes may be intimated. Complete specification together with illustrative leaflets containing technical particulars, etc., should accompany the tender.

Offers from ready stocks will be preferred.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tender. The rate should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with manufacturer's name, etc., complete. Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us, should deposit a sum equal to five per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this department for local purchases.

The tenders should be superscribed as "Tender for the supply of 5 KV. cutouts, to be opened after 3 P.M. on 3rd September 1954 or next working day."

800

Notification dated 4th August 1954.

**No. G. N. 61.** Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 2-30 P.M. on 3rd September 1954, for the supply of the following materials, the terms of delivery being Ex. our C.P.S. Central Stores, Bangalore City.

1. M. S. Hex. Head Bolts and Nuts. 3 Tons Rate per Cwt. size 1½" x ½". should be furnished.

Full specification regarding the manufacturer's name, make, etc., should be clearly noted in your quotation. Your earliest time of delivery should be mentioned.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tender. The rates should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us, deposit a sum equal to five per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this department for local purchases.

The tenders should be superscribed as "Tender for the supply of Bolts and Nuts to be opened on Friday, the 3rd September 1954 at 3 P.M."

803

Notification dated 4th August 1954.

**No. G. N. 62.** Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 2-30 P.M. on Friday, the 3rd September 1954 for the supply of the following materials the terms of delivery being Ex. our C.P.S. Central Stores, Bangalore City.

- 1 Galvanised Iron Spring Washers—

(i) Size 9/16"	...	500 to 600 Gross
(ii) " 11/16"	...	400 to 500 "

Full specifications regarding the Manufacturer's name, make, etc., should be clearly noted in your quotation.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tender. The rates should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us should deposit a sum equal to five per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this department for local purchases.

The tenders should be superscribed as "Tender for the supply of G. I. Spring Washers to be opened on Friday, 3rd September 1954 at 3 P.M."

815

Notification dated 6th August 1954.

**No. G.N. 63.** Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 2-30 P.M. on 6th September 1954 for the supply of the following materials the terms of delivery being f.o.r., Ex. our C.P.S. Central Stores, Bangalore City.

Tong-Testers or Clip-on-Ammeters of ranges, etc.

- 1 Tong-Testers or Clip-on-Ammeters of ranges, 0-50-100-200-600 amps. with case. Alternately (a) ranges 0-15-60-150-600 amps. 10 to 15 Nos. Alternately (b) 0-10-25-100-250-1000 amps
- 2 Clip-on-volt-ammeters, voltage range 0-150-600 volts Amps. 0-25-100-250-1000 with case. 10 to 15 Nos.

Note.—Offers from ready stocks will be preferred.

Illustrative leaf-lets complete with technical literature should accompany the tender.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tender. The rates should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us, deposit a sum equal to five per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this department for local purchases.

The tenders should be superscribed as "Tender for the supply of Tong Testers or clip-on ammeters of ranges, etc., to be opened on the 6th September 1954 at 3 P.M."

820

Notification dated 5th August 1954.

**No. 64.** Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 6th September 1954, for the supply of the following, the terms of delivery being F.O.R., Bangalore City or Ex-C.P.S. Central Stores, Ananda Rao Circle, Bangalore City.

1 Pure Silver Lead or Tin-ingot superior quality ... 10 Cwts.

N.B.—Percentage of purity should be mentioned without fail, in the tender.

Offers should be from ready stocks.

Correct day of delivery may also be specified in the tender.

Manufacturers' name, brand and their trade mark may please be furnished along with their quotation.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tender. The rates should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with manufacturers' name, etc., complete. Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us, deposit a sum equal to 5 per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

The tenders should be superscribed as "Tender for the supply of Pure Silver-lead or tin-ingot, to be opened after 3 P.M. on 6th September 1954, or next working day."

821

Notification dated 7th August 1954.

**No. G.N. 65.** Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 8th September 1954, for the supply of the following, the terms of delivery being f.o.r., Bangalore City or Ex-C.P.S. Central Stores, Ananda Rao Circle, Bangalore City.

1 Exhaust Fans 16", A.C.—D.C. (Not A.C. only) single 8 Nos.  
phase, suitable for operation on 220 volts.

N.B.—Manufacturers' name together with illustrative leaflets should be sent to this office along with the tender.

Air displacement cu-ft—Min-approx. may also be indicated.

Offers should be from ready stocks.

The tenderers should quote their best billing prices, which should be firm for a period of one month from the due date of the tender. The rates should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the quotation along with manufacturer's name, etc., complete.

Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us, deposit a sum equal to 5 per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this department for local purchases.

The tenders should be superscribed as "Tender for the supply of Exhaust Fans to be opened after 3 P.M. on 8th September 1954 or next working day."

827

Notification dated 9th August 1954.

**No. G.N. 66.** Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 30th August 1954, for the supply of the following, the terms of delivery being f.o.r. Bangalore City or Ex-B.P.L. City Stores, A Station, Bangalore City:—

1. Conduit pipe 1", 16 gauge braised and inside enamelled 10,000 ft.  
with rust-proof paint and without any burrs  
(in standard lengths).

N.B.—Offers should be from ready stocks.

Manufacturers' name, their trade mark and brand, if any, should be mentioned in the tender without fail.

Origin of manufacture may also be indicated in the quotation.

The measurement of standard length piece should be stated without fail.

It may also be noted that quotations without having the above details will be rejected.

Sample piece of the pipe offered should be sent to this office for our scrutiny.

The tenderers should quote their best billing prices, which should be firm for a period of one month from the due date of the tender. The rates should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with manufacturers' name, etc., complete. Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so, required by us, deposit a sum equal to 5 per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

The tenders should be superscribed as "Tender for the supply of 1" size braised conduit pipe, to be opened after 3 P.M. on 30th August 1954 or next working day."

846

Notification dated 9th August 1954.

**No. G. N. 67.** Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 31st August 1954, for the supply of the following, the terms of delivery being f.o.r. Bangalore City or Ex-B.P.L. City Stores, A-Station, Bangalore City.

1. Junction boxes $\frac{3}{4}$ " size, superior make, 3 way.	10 gross	} The rates should strictly be quoted on dozen basis.
2. Do 3 way but 1" size...	5 "	
3. Elbows $\frac{3}{4}$ " superior make	10 "	
4. Elbows 1" do	30 "	

N.B.—Offers should be from ready stocks.

Sample pieces should be sent for our inspection at parties' cost along with the tender.

Manufacturers name, trade mark and brand, if any, should be specified in tender.

Correct date of delivery may please be specified.

It may also be noted that quotations without having the above details will not be considered.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tender. The rates should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with manufacturers name etc, complete. Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and orders is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us should deposit a sum equal to 5 per cent of the value of the order as earnest money for the satisfactory execution of this order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this Department for local purchases.

The tenders should be superscribed as Tender for the supply of Junction boxes etc., to be opened after 3 P.M. on 31st August 1954 or on next working day.

N. D. M. APPA,

846

For Chief Electr. Engineer.

#### OFFICE OF THE SUPERINTENDENT, BANGALORE POWER AND LIGHTING, CITY AREA.

Tender notification dated 30th July 1954.

Sealed tenders in triplicate for the work mentioned below will be received at the Office of the Superintendent, Power and Lighting, City, Bangalore up to 3-30 P.M., on 16th August 1954.

Providing additional lights and renewing the existing wiring for the Legislature Office at Mysore Government Secretariat Offices, Bangalore.

Detail specification can be had at the Office of the Superintendent, Power and Lighting, City, Bangalore.

The earnest money to accompany the tender is Rs 55 only and a further sum of Rs. 55 will have to be deposited before award of contract.

776

Tender Notification dated 30th July 1954.

Sealed tenders in triplicate for the work mentioned below will be received at the Office of the Superintendent, Power and Lighting, City, Bangalore up to 3-30 P.M., on 16th August 1954.

Providing lighting and heating wall-plugs in the extended portion of Lady Willingdon Tuberculosis Dispensary, Bangalore.

Detailed specification can be had at the Office of the Superintendent, Power, and Light, City Bangalore.

The earnest money to accompany the tender is Rs. 73 only and a further sum of Rs. 73 will have to be deposited before award of contract.

S. V. RAMA RAO,

Superintendent.

775

#### OFFICE OF THE GENERAL SUPERINTENDENT, LIFT IRRIGATION SCHEME, 7, CRESCENT ROAD, HIGH GROUNDS, BANGALORE-1.

ENQUIRY No. 2.

Notification dated 7th August 1954.

Sealed tenders in triplicate for the work mentioned below will be received at the Office of the General Superintendent, Lift Irrigation Scheme, 7, Crescent Road, High Grounds, Bangalore-1, up to 3 P.M. on Wednesday, the 15th September 1954.

- Supply of Irrigation Pump Sets required in connection with Lift Irrigation Scheme;
- Installing the Irrigation Pump Sets complete with foundation, delivery and suction pipes and accessories complete and wiring the motor and control gear.

Detailed specifications and other conditions of the tender can be had at the Office of the General Superintendent, Lift Irrigation Scheme, 7, Crescent Road, High Grounds, Bangalore-1.

G. SAMBASIVIAH,

General Superintendent.

817

#### GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

##### OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, CHICKBALLAPUR.

Notification dated 28th July 1954.

Sealed tenders in triplicate superscribed as "Tender for providing Electric Lights to the New Combined Dispensary at Gudibanda" will be received in the Office of the Superintendent, Power and Lighting, Chickballapur up to 3 P.M. on Wednesday the 25th August 1954.

Intending tenderers are requested to apply to this office for copies of details of specification. Detailed sketch and plan may be seen at any time in the Office of the Superintendent, Power and Lighting, Chickballapur, on working days between 11 A.M. and 5 P.M.

The earnest money required to be deposited in cash only along with the tender is Rs. 100.

Specific rates should be given for each item in the Schedule and the rates should be noted both in words and figures.

The tender rate should be given for work to be done as per standard specifications approved by the Department and for using the best quality of materials.

The work should be completed in all respects within twenty (20) days from the date of acceptance of tender.

The quantities as estimated are only approximate and are liable to alterations, omissions, deductions or additions at the discretion of the officers of the Department. The tender rate will hold good for any quantity whether higher or lower than those estimated for.

The right for rejection of any or all the tenders without assigning any reason therefor rests with the Superintendent, Power and Lighting, Chickballapur.

Within five days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the Departmental schedule of contract form for the due fulfilment of the contract.

The successful tenderer will have to pay 5 per cent of the estimated amount towards Security Deposit before executing the agreement.

755

P. C. REDDY, *Supdt.*

#### OFFICE OF THE ENGINEER, CORPORATION OF THE CITY OF BANGALORE.

(WORKS DEPARTMENT).

Dated 6th August 1954.

No. DT. 10—54-55. Sealed tenders will be received at the Office of the Corporation Engineer up to 4 P.M. on 16th August 1954 for (1) Forming Macadam Sub-grade for laying cement concrete; (2) Supplying of materials for cement concreting the road; (3) Raising the sides and tarring the remaining width of cement road; (4) Improving foot-paths, drains and culverts—KENGAL HANUMANTHAIAH ROAD, Wilson Garden, Bangalore City.